



DIM 800K UNIVERSAL CRUSHER


Production of high quality
cubiform crushed aggregates

Russia 2019



Perfect grinding technology

Optimum shape of the end product





DIM 800K crusher capacity



Parameter	Value
Max crushing ratio	up to 1:200
Power, kW	75
Capacity, t/h	up to 120
Inlet dimensions, mm	1476 x 1158
Weight, t	15,6

DIM 800K crusher has a frame metal structure with 4 side service platforms.



End product

DIM 800K crusher recycles any heavy lumps of ore or abrasive ore into crushed stone, graded sand, or sorted crumb:

- gravel: 5-10 / 10-20 / 20-40 / 40-70 mm
- sand: 0-0,16 / 0,16-5 mm





Effective crushing modes

In just a few minutes DIM 800K crusher is easily reconfigured to produce crushed aggregates of required fraction.



DIM 800K crusher is used technologically for production of mineral powder and dry mixes. Those are guaranteed to provide the necessary fineness of grinding.



Crushing and screening plants



Our high-productive crushing and screening plants have modular configuration based on components of different functionality.

Any rock and of any strength can be processed into cubiform gravel, chips, sand, crushed marble, dolomite powder, dry building mixes and others.





Crushing and screening plants



The equipment is designed, manufactured and meant to be fixed on metallic constructions, which are frames. These frames enable to mount and dismount the units easily and quickly.

Fully-automated plants with remote control.





R&P ENTERPRISE «OPK»

www.dromash.ru
dromash800@mail.ru

Russia 2019

+7(831) 295-50-61, 295-50-60